

Technical Data Sheet

Hato Emperor Gold G-3000

Hato Gold Aerosol Acrylic Lacquer

FEATURES	Hato Aerosol Acrylic Lacquer Gold Paint is made of 100% pure acrylic resin with premium golden pearl
LINIONEO	pigment suitable for exterior & interior application. The special quality golden pearl pigment that delivers
	rich & beautiful long lasting gold colours. Excellent adhesion, durable and can resist to harsh weathering
	conditions. Anti-fungus and algae. No lead and mercury added. Resistance against staining and
	blackening for 10 years.
TECHNICAL INFORMATION	Stationing for to years.
Type	Aerosol Acrylic Lacquer Gold Paint (Spray)
Color	Emperor gold
	Gloss
Film appearance	400 cc
Pack size	-40
Flash point	100-125 Microns
Wet film thickness	
Dry film thickness	9.38-11.73 Microns
Theoretical coverage	25-31 Sq.m./coat/400 cc
Touch dry (25-30°c)	10 Minutes
Recoat dry (25-30°c)	10 Minutes
Full cure (25-30°c)	1 Hour
APPLICATION	Shake can thoroughly 2 minutes before using and shakes periodically during spray
	2. Spray from a distance of about 6-8 inches with opening in spray head pointed towards object.
	Press level down with index finger, keeping can in motion from side to side so that coating is
	deposited evenly.
	3. Spray several thin coatings with an interval of 10 minutes
	4. After spraying turn can upside down and press spray head to clean the spray nozzle
	It is advisable to finish the whole can once start to use, to avoid the block of dry paint in the valve
	after use.
APPLICATION SYSTEM	
Surface Preparation	
	Surface must be clean, dry and free from oil, grease and contaminants before painting. For previously
	painted surfaces, remove all unstable paint film, loose chalk, dust and foreign matter. Substrate sanding is
	preferable especially on smooth surface.
Coating system	
Primer	Apply 1 coat of HATO Aerosol Acrylic Primer No. G-118 (Yellow)
Topcoat	Apply 2 coat of HATO Aerosol Acrylic Lacquer Gold Paint.
HANDLING AND STORAGE	Keep the containers in a dry, cool, well ventilated space and away from heat. Containers must be kept
	tightly closed.
HEALTH AND SAFETY	Use under well ventilated conditions. Avoid skin contact.

The information in this data sheet is given to the best of our knowledge based on laboratory testing and practical experience. However, as the product is often used under conditions beyond our control, we cannot guarantee anything only the quality of the product itself. We reserve the right to change the given data without notice. Last update: August 2019 Page 1 of 1